




\*DISCLAIMER: Before mounting ensure firearm is unloaded and safe.

## Red Dot Sight Specification

Magnification	1x
Objective Lens	22mm
Illumination	11 Brightness Settings with Manual Off
Dot Size	4 MOA
Click Value	1 MOA
Adjustment Range	$\geq 70$ MOA
Battery Type/Life	CR2032 338 Hours at Setting 5



Our 4MOA Red Dot Sight provides full field of view for rapid target acquisition and allows situational awareness while shooting with both eyes open.

## Red Dot Sight Controls



## Battery **Installation**

Remove the battery cap by turning the cap counterclockwise until it pulls away. After the cap is removed, slide the battery out and replace it. To reinstall the cap, align the cap with the battery compartment and carefully begin to thread the cap, turning it clockwise.

## On/Off **Features**

ON: Rotate Illumination Dial to desired setting.

OFF: Rotate Illumination Dial to zero.

## Brightness **Adjustment**

Adjust the Illumination Dial from 1-11, low to high.

## Windage & Elevation **Adjustment**

To move the point of impact up, move the elevation adjustment left, to move down turn right. To move the point of impact right, turn the windage adjustment right, to change left move windage to the left.

Each click adjustment is 1 MOA

\*Do not turn the adjustments before mounting the sight on the firearm.

CAUTION – When encountering an increase in resistance in adjustments, the end of the adjustment range has been reached. DO NOT turn the adjustments any farther, serious damage may occur to the sight.

The rail needs to be as parallel as possible to the bore to permit the maximum elevation and windage adjustments. It is strongly recommend that the rail be installed by a qualified gunsmith. To mount the sight, please follow these steps:

1. Loosen the cross bolt enough to allow mounting on your rail. Be careful to not remove completely.
2. Mount to desired position, pushing as far forward as possible, and tighten.

Recommended Torque: Picatinny Rail: 25-30 inch pounds

CAUTION: Never make adjustments while the quick detach lever is in the closed position.



## Our Promise

Our loyalty to you is important, which is why we back all Blackhound Optics with a lifetime warranty that is simple to use. If your scope breaks or does not perform, we will make it right. Simply send us the optic, we will assess if it is repairable, and if not, we will replace it with a new one. It is that easy. Life is complicated, optics should not be, and neither should using a warranty. Visit [blackhoundoptics.com](http://blackhoundoptics.com) for more information.